

Welcome to your City Commission Study Session & Special Meeting - Please turn off or silence all cell phones during the meeting Meetings are televised everyday on Channel 2 at 7 p.m. and midnight and available for viewing on YouTube and Facebook Live

STUDY SESSION:

1. Leavenworth County Port Authority (LCPA) Building Committee Presentation (pg. 2)

SPECIAL MEETING:

Open Special Meeting:

Action: Motion

Consider Three Party Agreement Between City, KDOT and Brungardt Honomichl & Company (BHC) for KDOT K-7 (4th Street) Improvements Project
 Action: Motion (pg. 10)

Adjournment

Action: Motion

Policy Report LCPA Building Committee presentation September 21, 2021

Prepared by:

Paul Kramer

City Manager

Issue:

The Leavenworth County Port Authority (LCPA) Building Committee requested the opportunity to present at a City Commission study session on the topic of industrial building construction. According to the committee, the intent is to provide open guidance on options that can result in the construction of industrial buildings. The committee is presenting to all cities in the county.

The committee adds that, "each community and their available resources differ; for this reason the individual study sessions are designed to start the discussion for the creation of a mutually agreed upon plan of understanding that can be tailored to the unique circumstances of each community. At this stage of the planning process, all options are open for discussion."

No formal commitment will be requested at the study session, but the discussion will be used to by the committee in composing their recommendation to the LCPA Board for the construction of an industrial building somewhere in Leavenworth County.

Community Study Session



Study Options for Construction of Construction of Industrial Building



Prepared by Leavenworth County Port Authority Building Committee

08/18/2021

Introduction from the LCPA Building Committee: In March 2021 the Leavenworth County Port Authority, Board of Directors appointed a Building Committee of five individuals to research and report back to the LCPA Board a plan of action to support the construction of industrial building/s somewhere within Leavenworth County. The purpose of this meeting is to seek your financial commitment to facilitate this assignment. This is a study session; therefore, no formal commitment can be obtained today. What is the next step, that will come later in agenda.

AGENDA:

- 1. Background and Brief Description of Operation
- 2. Brief Description of Options for Consideration
- 3. Financial Summary Page
- 4. Questions
- 5. What is the next step?

Background and Brief Description of Operation: Leavenworth County Port Authority

(LCPA) is public body corporate and politic (quasi-governmental entity) that is governed by Kansas Statues 12-3401--12-3433. The primary mission of LCPA is to promote, stimulate and develop the general welfare, economic development and prosperity of the state of Kansas by fostering the growth of intrastate and interstate commerce within the state; to promote the advancement and retention of ports within the state; to encourage and assist in the location of new business and industry in this state and the expansion, relocation or retention of existing business and industry when so doing will help maintain existing levels of commerce within the state or increase the movement of commodities, goods and products produced, manufactured or grown within or without the state through existing ports within the state or lead to the development of new ports within the state; and to promote the economic stability of the state by maintaining and providing employment opportunities, thus promoting the general welfare of the citizens of this state, by authorizing port authorities to be established in each city and in each county of the state. As economic development moved away from barge/rail importance, the organization adapted itself to serve additional economic development needs of the community.

LCPA initiated operations in 1969 with a board of five members who are appointed jointly by the Board of County Commissioners and the Leavenworth City Commission and serve four-year terms. In March 2020 the Board of County Commissioners and City of Leavenworth amended and restated the Leavenworth County Port Authority Agreement and established a Board of seven members. Two representatives for the County of Leavenworth, two representatives for the City of Leavenworth, one representative each for the Cities of Basehor, Lansing, and Tonganoxie. The Board meets monthly. Annually a budget is submitted to the Board of County Commissioners (BOCC) for their consideration. Other revenue comes from the development and sale of real estate, primarily from the two industrial parks owned by LCPA—The Gary Carlson Park in Leavenworth and Urban Hess Business Park in Tonganoxie.

LCPA, by mutual agreement, utilizes and financially supports the staffing of a separate 501(c)(6) public/private organization commonly known as the Leavenworth County Development Corporation (LCDC) to facilitate day to day operations and marketing activities. LCDC's primary mission is to coordinate and facilitate the retention, expansion and attraction of primary businesses. The organization was originally established in 1981 by a group of business

leaders who understood the importance of diversifying the local tax base and having an organization in place that could assist in the development of stronger economic opportunities. Together, LCPA and LCDC work on projects to provide a seamless economic development portfolio to those interested in doing business in Leavenworth County.

K.S.A. 12-3406(b)(1) Establishes the LCPA may borrow money from private financial institutions, any agency of the state of Kansas or of the United States of America or a private person or entity approved by the port authority, and to issue therefor such notes or other evidence of indebtedness as may be required and to mortgage, pledge, or otherwise encumber the assets of the authority as security therefor.

Legal services for LCPA are provided by Timothy Girard, attorney with Woner, Reeder & Girard P.A. located at 5611 SW Barrington CT S, Topeka, KS 66614. Accounting is provided by Mary R. Scott CPA, LLC located at 411 N 4th St, Leavenworth, KS 66048.

LCPA is annually funded by the BOCC. LCPA requests funding from the BOCC on an annual basis. Funding is from mill levy proceeds.


Brief Description of Options for Consideration Because the assimilation of details at this point remains in the research phase, all options are open for consideration. However, after careful consideration the Building Committee has two primary options for your consideration. The 50,000 square foot building option is the preference of the Committee.

Building	g Size in sf	10,000	50,000				
Lar	nd needed	3 acres	5 acres				
Cost to C	ontruct/sf	103.81	100.61				
Proj	ect cost/sf	116.88	104.97				
Total Pro	oject costs	1,168,780	5,030,696				
	Utilities	to the site	to the site				
Rc	ad Access	to the site	to the site				
	Zoning	Industrial	Industrial				
	Jobs	10	100				
Mec	lian Salary	59,597	59,597				
Median Ho	ome Value	151,900	151,900				



Actual appearance of buildings will vary





LCPA Building Committee

Page 4 | 7

What is the next step?

Based on the results of the community study sessions and the compilation of supporting information the building committee will make a recommendation to the LCPA Board in late 2021. If approved by the LCPA Board, the goal will be to work closely with the community selected to construct an industrial building. Initial steps will be for LCPA to initiate pre-construction preparation details to support the construction of the building selected.

Once the details have been compiled, the building committee will officially re-approach you for formal approval of cash needed for the project. Your staff and any appointed members will be in the information channel from the start of the pre-construction preparation. Once funds are provided, loan will be initiated, and construction can begin.

Questions:

All questions are welcome and encouraged.

Thank you for your service to your community and your consideration on the issue.

Leavenworth County Port Authority Building Committee The LCPA Building Committee is asking you to communicate your willingness to participate in the construction of an industrial building. You may complete the following <u>or provide any other</u> <u>means of your choosing</u> to communicate your willingness and return your response to the LCPA Building Committee by September 30, 2021:

Community:	
Option/s we want to financially pursue:	10,0000 sf building 50,0000 sf building Other: None
Fiscal Year to Provide Cash:	-
Suggested building site:	
Community will provide land free & cl	ear 🔲 Yes

Contact information for the building committee is:

Leavenworth County Port Authority Building Committee Dan Gutshall, Chairperson 1294 Eisenhower Road Leavenworth, KS 66048 <u>dang@thecnb.bank</u> direct dial 913-250-3624

	Leavenwort	th County Port Authority			
		ilding Scoring Model			
		Weighting Points	% Weight		
1	Is there Private Sector Investment?	(, eighting i onis)	, o , , e .g.ie		
-		15	150/		
	Yes	15	15%		
	No	0			
2	Is the project location shovel ready?				
	Yes	10	10%		
	No	0			
2	Is the land already owned by the LCPA or	a municipality?			
5			90/		
	Yes	8	8%		
	No	0			
4	Is the property zoned industrial?				
	Yes	8	8%		
	No	0			
F	Does the site currently have road access?				
3			100/		
	Yes	12	12%		
	No	0			
Y N 2 Is Y N 3 Is Y N 4 Is Y N 5 D Y N 6 Is Y Y N - 6 Is Y Y N - 7 Is Y N 8 W 10 A W 10 5 S 9 W 10 A with - 9 W 10 A with - 10 A with - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10					
	Is the City where the property is located co	ontributing cash?			
	Yes - 10%+	12	12%		
	Yes - Less than 10%	8			
	Yes - Less than 5%	4			
		0			
	INO	0			
7	Is the County contributing cash?				
	Yes	5	5%		
	No	0			
8	What level of Property Tax Abatement is a	available? (assume 10 years)			
	100%	9	9%		
	75%	6	270		
	50%	3			
	0%	0			
9	What level of Land Contribution is availab	le?			
2 3 3 4 5 5 6 7 7 8 8 8 9 9 9 10 10	100% Discount	5	5%		
	50% Discount	2.5			
	0% Discount	0			
		0			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
10			. 4 . 3		
10	After all of the municipal contributions of l		alea		
9	what is the estimated project cost per squa			ļ	
	(This calculation needs to be annually adju	sted for inflation)			
	\$80 per sq ft or less	6	6%		
	\$81- \$89 per sq ft	4			
	\$90 per sq ft	2			
	\$100 per sq ft	0			
	the ber of it	0			
			00	A.h	
			90	Above Av	erage
9 V 10 10 A 10 S 10 S	m . 19		75	Average	<u></u>
	Total Score		Below 75	Below Ave	erage
nple o	of #11 Calculation				
	uare foot building @ \$100 per sq ft. = \$5,000	0.000			
	ie \$250,000	- /		<u> </u>	
. vai					
Cor	tribution \$250,000				

LCPA Building Committee

POLICY REPORT PWD NO. 2021-32 CONSIDER AUTHORIZING THE CREATION OF A THREE PARTY AGREEMENT BETWEEN THE CITY, KDOT AND BRUNGARDT HONOMICHL & COMPANY FOR IMPROVEMENTS ON 4th STREET FROM CHOCTAW STREET TO SENECA STREET KDOT PROJECT NO. 73-52 KA-5990-01 CITY PROJECT NO. 2020-939

September 21, 2021

Prepared by:

Brian Faust Director of Public Works

Reviewed by:

Paul Kramer City Manager

ISSUE:

Consider authorizing City Staff to work with Brungardt Honomichl & Company (BHC) and KDOT on a three (3) party agreement for the 4th Street Improvements (US-73 from Choctaw to Seneca). This project is part of the City Connecting Link Improvement Program (CCLIP).

BACKGROUND:

In March of 2019, the City submitted CCLIP applications to KDOT for two (2) projects along 4th Street. The first project was from Choctaw to Delaware and the second was from Delaware to Seneca.

KDOT notified the City in July of 2020 that our project between Choctaw and Delaware was selected. The second project, between Delaware and Seneca was not. The CCLIP is a cost share program with KDOT covering 85% of eligible costs while the City's share is 15%. The maximum KDOT contribution will be \$1,000,000. Costs that are not eligible are acquisition of rights-of-way (ROW) and utility relocations. At this time, we do not envision additional ROW being required.

While not selected, the City requested that the second project (Delaware to Seneca) be included in the overall project limits. KDOT agreed and the City and KDOT previously signed Agreement No. 142-21 that includes the updated project limits.

With KDOT's participation in the project, there are a number of different steps along with additional paperwork that is required before a project can begin. Many of these items are above and beyond what is required if the project was funded using only city funds.

POLICY:

The City generally uses the Qualifications Base Selections process to select engineers for project design. The City posted a Request for Qualifications for design consultants and received five (5) submittals:

- BHC (Brungardt Honomichl & Company)
- MHS (McAfee Henderson Solutions, Inc.)
- JEO Consulting Group
- Affinis Corporation
- Wilson & Company

The review committee consisted of the following:

- Paul Kramer, City Manager
- Julie Hurley, Director of Planning & Community Development
- Brian Faust, Director of Public Works
- Michael Stephan, Project Manager
- Jacquelyn Porter, City Planner

The five (5) submittals were evaluated following established KDOT procedures and the top two (2) firms were interviewed. Based on the final ranking, BHC was identified as the top firm.

City staff has worked with BHC to negotiate a detailed project scope of services along with an estimated engineering fee for the work. This information has been provided to KDOT and they are in agreement with the estimate and hours.

RECOMMENDATION:

Staff recommends that the City Commission authorize staff to work with KDOT and BHC to create a three (3) party agreement for Preliminary Engineering (PE) for the improvements to US-73 from Choctaw Street to Seneca Street. Once the PE Agreement is developed, it will be brought back to the Commission for review and approval. Based on the Estimate of Preliminary Engineering Fees, the design cost will be \$325,331.54.

ATTACHMENTS:

Special Attachment No. 8 – Estimate of Preliminary Engineering Fee Project Scope with Hours

ESTIMATE OF PRELIMINARY ENGINEERING FEE

PROJECT NUMBER:	COUNTY/CITY	: City of Leavenworth				
LOCATION:	US 73 from Cho	US 73 from Choctaw to Seneca				
WORK ITEM:	DATE:	9/14/2021				

1. DIRECT PAYROLL				
POSITION/TITLE	RATE	ESTIMATED HOURS	AMOUNT	TOTAL
Principal	56.00	112.00	6,272.00	
Project Manager	51.80	452.00	23,413.60	
Sr. Project Engineer	45.80	140.00	6,412.00	
Design Engineer	30.10	140.00	4,214.00	
Sr. Engineering Technician	37.90	600.00	22,740.00	
Survey Manager	50.00	30.00	1,500.00	
Survey Technician	27.00	270.00	7,290.00	
Utility Supervisor	38.00	50.00	1,900.00	
SUBTOTAL LINE 1	and the second	1,794.00		73,741.60
2. SALARY RELATED AND GENERAL OVERHEAD (198.64)		146,480.31
3. SUBTOTAL (LINES 1 & 2)				220,221.91
4. NET FEE			11.00	24,224.41
5. DIRECT EXPENSES (TRAVEL, MATERIAL, SUB-CON (BE DETAILED)	SULTANT, ETC	.)		
ITEM	RATE	DAYS, MILES OTHER	AMOUNT	
RDG Planning & Design (see attached)	22,537.13	1.00	22,537.13	
Terracon (see attached)	7,701.29	1.00	7,701.29	
EchoGPR (no overhead rates)	7,500.00	1.00	7,500.00	
Utility Potholing (TBD)	13,725.00	1.00	13,725.00	E. State
Sewer Inspection (TBD)	18,000.00	1.00	18,000.00	
Traffic Counts (TBD)	4,200.00	1.00	4,200.00	
Mileage	0.56	2,780.00	1,556.80	
Reproduction, Equipment Useage Charges, etc.	5,665.00	1.00	5,665.00	
SUBTOTAL LINE 5	1 Standards			80,885.22
TOTAL (LINES 3, 4 & 5)				325,331.54

	4th Street (Choctaw Street to Seneca Street)	Labor (Hours) / Rate Public Works Sur								1
	Leavenworth, KS			FUDIC				JUIVE	sying	1
Fask	Prepared By: BHC (September 2021)	Prin. Prog. Man. Gorton / Sherfy	Project Manager David Smalling	Sr. Project Eng. Katie Bushong	Design Eng. Collin Schmidt	Utility Supervisor Lauren Marcucci	Sr. Eng. Tech. Craig Drummond	Survey Manager	Survey Tech.	Labo
No. 1.	Task Assess KDOT's Road Diet Acceptance		CALIFORN							Hou
_	Prepare Road Diet narrative and examples citing known ADT's along 4th Street (K-7).	2	8	_		12220	2	0.63.01		12
7.	Traffic counts will not be conducted as part of this task.	-	0				-			1 12
В.	Discussion with KDOT officials regarding the reduction of 4 lanes to 3 lanes on 4th	4	4		-	6			1	8
	Street (K-7). A Road Diet Study is not anticipated or scoped.									1.000
	Task 1 Subtotal	6	12				2			20
	Data Collection	REP.					1022	321		
А.	Attend a pre-design meeting to establish the City's design criteria for the project.		4				4			8
B.	Develop design criteria for the project and prepare a design memorandum that is to		6	3						9
5.	be submitted to the City.		Ŭ	್						
С.	Prior to Survey, contact utility companies to notify them of the project's limits, scope		8		2	20				30
	of work, and schedule, verify the project's contact, and solicit for mapping or any									
	planned upgrades. Call in utility locates for Surveyors.									
D.	Seek information from business / building owners regarding lower level		2					2		4
	construction (i.e. coal chutes or vaults) that may reside under the sidewalk or road.									
E	Camera Inspection of Storm Sewer (up to 20 locations) will be performed by BHC to vi	erify the	integrit	v of evi	sting ar	ch pipe				
	Field Data Collection.	,		22	16	pipe	1	1		38
	Download Field Data and Analysis.				10					10
	Recommendations via email with photos and video transfer.				8					8
F.	Geotechnical Corings will be performed by Terracon to determine existing		4				2			6
	pavement thickness and subgrade conditions. Up to eight (8) corings are scoped. A pavement / subgrade section recommendation will be provided using subgrade									
	conditions and traffic and truck data. BHC will coordinate with Terracon.									
G.	Ground Penetrating Radar (GPR) will be performed by Echo GPR Services to		4				2			6
	determine the presence, location, and approximate depth of utilities. BHC will									
	coordinate with Echo GPR Services.									
н.	Vacuum Excavation will be performed by Kantex to determine depths of existing		4				2			6
	utilities. Up to eight (8) potholes are scoped. BHC will coordinate with Kantex.									1
L	Dye Testing will be performed by TREKK or A-1 Sewer & Septic to determine the		4					-		4
100	sanitary discharge location. Up to twenty (20) tests for businesses along the corridor		1750							
	are scoped. BHC will coordinate with TREKK or A-1 Sewer & Septic.									
-	Task 2 Subtotal		36	25	36	20	10	2		129
	Surveys and Basemapping Perform field surveys utilizing a SX-10 Scanner (for safety concerns) to obtain	08.02	- 1	1000		00000				
٨.	sufficient detail for the project design. The survey will extend 250' south of		2					16	102	120
	Choctaw, 250' north of Seneca, 100' down side streets and 50' down the alleys.							1		
	"Surveyors on Road" signs will be placed before and after the work areas. The									
	surveyor shall also notify all property owners along the project (typically with door									
	knob hangers) of the topographic survey prior to any work being done. Right-of-	- 1								
	way will be established based on survey information including found monuments, plats, previous surveys, and road records. If there is an area of uncertainty that									
	would require more extensive research the client will be advised. Agreement on									
	direction will be required. Right-of-way does not establish side boundaries of the									
	existing parcels. O&E's will not be obtained as it is not anticipated that takings will									
	be necessary.									
	Compile and process survey data to create a base map and Digital Terrain Model		2				4	10	152	168
	(DTM).									
	Task 3 Subtotal		4				4	26	254	288
	Traffic Study of 4th Street Intersections (Choctaw, Cherokee, Delaware, Shawnee, Sene Data Collection. Traffic & Pedestrian Counts with Video will conducted by Gewalt	ca)	4	1	-	1		1	1	4
	Hamilton Associates (GHA). One (1) intersection, likely Delaware, will be a 24-Hour		1							4
	Count. The other four (4) intersections will be AM (2-Hour) and PM (2-Hour) Counts.									
_	BHC will coordinate with GHA.									
В.	Capacity Analysis using Synchro traffic software.									
_	Identify existing signal timings and calibrate analysis software. Scenario 1: Existing 4-lane conditions with Existing Timings.	3	6	-	_				\rightarrow	9
	Scenario 1: Existing 4-lane conditions with Existing Timings. Scenario 2: Proposed 3-lane conditions with Adjust Timings / Coordinated	1	4							5
	Signals. This scenario would also evaluate adding a traffic signal at Choctaw	ас 1	10							
	Street.									
	Summarize Analysis.	1	6							7
	Crash Data Analysis.	1	3							4
D.	Traffic Study Report.									
	Traffic study development.	4	16							20
- 1	Figures / Tables / Final Exhibits.						4		_	4
		A 1	6							
	Findings and recommendations.	4	6							10
		4	6 4 4				_			8

Level Window Jul, No. Bar Stress		4th Street (Choctaw Street to Seneca Street) Leavenworth, KS			Labor (Hours) / Rate Public Works Surveying							
No. Table Check Plans Image of the second s		Prepared By: BHC (September 2021)	Prin. Prog. Man. Gorton / Sherfy	Project Manager David Smalling			Utility Supervisor Lauren Marcucci	Sr. Eng. Tech. Craig Drummond	1.000		Lab	
A. Prepare the following field check plan sheets. 2 4 Thit Sheet. 2 4 General Notes and Lagand. 2 4 Quantifier per KOOT standards with itemized quantity tables. 24 5 Typical Sections. 1 8 Intersection Pathia. ADA Sidewalk Ramp design and ADA Building Entrances (up 16 60 To Qi Intersection Pathia. ADA Sidewalk Ramp design and ADA Building Entrances (up 10 8 To Vieway Alley Plan & Profiles. A profile for each driveway and alley will be provided from the save ucto the lie in point of the driveway and alley will be provided from the save ucto the lie in point of the driveway and alley will be provided form the save ucto the lie in point of the driveway and alley will be provided form the save ucto the lie in point of the driveway and alley will be provided form the save ucto the gene summary. 1 1 4 4 2 Restrict Stating Potent and Tables in the theore on the driveway and lay will be provided for the scope. 1 1 4 2 Torsion Control Family and Details. 2 8 8 2 Torsion Control Family points simils in theore on the driveway and lay will be point of the driveway and lay will be provided for the scope. 2 8 8 Torsion Control Family points simils in thore on the driveway and lay will be											Hou	
This Sheet. 2 2 4 General Notes and Legend. 2 4 Quantitie per KOOT standards with itemized quantity tables. 24 5 General Loyout and Survey Data Sheet. 1 8 Typical Sections. 4 8 Bodway Plan & Profile. 60 60 Intersection Detects. ADA Sidewalk Ramp design and ADA Building Entrances (up 16 60 Diverses y Mark Plan & Profiles. A profile for each diversary and ality will be provided from the saw cut to the tien point of the driversary Jaley. 2 4 Storm Sever Profiles & Details. 2 4 4 Storet Sogney Details. 2 8 4 Storet Sogney Details. 1 1 4 2 Ecosion Control Plan & Details. 2 8 8 Storet Sogney Details. 1 1 4 2 Storet Uphing and Photometic Plan. Replace exiting street light poles/mats arms with poles/mats that how concerns the similar to those on Observe. Adjusters and Sharwee. 32 4 8 Oronstructure Plan Big Details. 2 8 8 9 Traffic Signal Design a Cloubtains. A 10 year storm event and 25 year storm event only at sump locations will be nail. 1 10 8 Constructure Plan Big Debails 2 4				663.9	1281310	Res Co			191200		1028	
General Notes and Legend. 2 4 Quantity per XOOT standards with hemical quantity tables. 24 5 Typical Sections. 4 8 Roadway Plan & Profiles. 10 8 Intersection Details. ADA Sidewalk Ramp design and ADA Bulicling Entrances tup 10 60 10 10 60 10 10 60 10 10 60 10 10 60 11 10 8 11 10 60 11 10 60 11 10 60 11 10 4 11 14 2 12 11 4 13 4 2 14 2 8 15 11 4 14 2 8 15 11 4 16 11 4 17 11 4 18 11 14 20 8 8 17 11 14 21 8 8 18 11 14 19 11 14 19 11 <	A		-	1 7	-	-				_		
Quantities per KDOT standards with lemixed quantity tables. 24 5 1 1 General Loyout and Survey Data Meter. 1 1 8 Typical Sections. 4 8 Typical Sections. 4 8 Dadway Plan & Profiles. 60 Intersection Deatils. ADA Sidewalk Ramp design and ADA Building Entrances (up to (i) finescast). 2 8 Driveway Alkey Plan & Profiles. 2 4 Boadway Deatals. 2 4 Storm Sever Profiles & Deatals. 2 4 Storm Sever Profiles & Deatals. 4 2 Storm Sever Profiles & Deatals. 2 8 Storm Sever Profiles & Deatals. 2 8 Storm Sever Profiles & Deatals. 2 8 Storm Sever Profiles & Deatals. 1 1 4 Storm Sever Profiles & Deatals. 2 8 8 Traffic Signal Design at Choctaw (nev), Charkke, Delawrer, Alysnemes to purction boxes, control center, conduit, or distribution cables are not assumed to pear of the scope. 2 8 Traffic Signal Design at Choctaw (nev), Charkke, Delawrer, and Shawnee. 2 8 Construction Phasing and Claubians. A 10-year storm event and 25-year storm event only stamp Locations will be analyed outload uples. ADA Cross Sections. Closs sections. At 10-yea							<u> </u>				- 4	
General Lyout and Survey Data Sheet. 1 1 8 1 Typical Sections. 4 8 60 Intersection Details. AD Sidewalk Ramp design and ADA Building Entrances (up to 14 in exectsary, Alery Pan & Profiles. A profile for each driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provided from the saru cut to the tierin point of the driveway and alley will be provide from the saru cut to those on Delaware. Adjustments to practice boxes, control centerin Plan. Replace existing podestal traffic signal poles with similar pedestal poles. ADA construction Replane and Signing Plan & Details. 2 8 8 Paremern Marking and Signing Plan & Details. 2 8 4 10 Construction Cross section Constructions. A 10-year storm event and 25-year storm event only at sump locations. A 10-year storm event and 25-year storm event only at sump locations. A 10-year storm event and 25-year storm event only at sump locations. A 10-year storm event and 25-year storm event only at sump locatio				-	5					1.00	4	
Readway Plan & Profiles. 16 60 Intersection Details. ADS Sidewalk Ramp design and ADA Building Entrances (up) 12 60 Ot ql /r necessary. 2 8 Driveway Alexy Plan & Profiles. 2 4 Storm Sever Profiles & Details. 2 4 Storet Scope Statis. 1 1 4 Storet Scope Statis. 1 1 4 2 Break Storet Profiles & Details. 1 1 4 2 Storet Scope Statis. 1 1 4 2 Storet Scope Statis. 2 8 8 8 Storet Scope Statis. 2 8 8 8 Traffic Signal Design and Choice on Delaware. Agiustrems to junction Dealeware. Agiustrems to junction Dealeware. Agiustrems to junction Dealeware. Agiustrems to junction Plans Dealeware. 2 8 6 Traffic Signal Design and Choice and Cheva (new). Cherolee. Delaware. Agiustrems to junction Plans Dealeware. 2 8 6 Construction Plansing Plans Details. 2 8 6 2 6 Construction Plansing Plans Details. 2 8 6 2 6											9	
Intersection Deals, ADA Sidewalk Ramp design and ADA Building Entrances (up 12 60 Driveway / Alley Plan & Polifies. A profile for each driveway and alley will be provided from the save cut to the tei-in point of the driveway / alley. 2 4 Roadway Details. 2 4 4 Storm Sever Profiles 2D teals. 4 4 2 Storm Sever Profiles 2D teals. 1 1 4 2 Storest Sever Profiles 2D teals. 1 1 4 2 Storest Sever Profiles 2D teals. 1 1 4 2 Storest Sever Profiles 2D teals. 1 1 4 2 Storest Sever Profiles 2D teals. 1 1 4 2 Storest Sever Profiles 2D teals. 1 1 4 2 Storest Sever Profiles 2D teals. 2 8 8 Storest Sever Profiles 2D teals. 2 8 8 Out of the scope. 1 1 4 2 Traffic Signal Design at Choctaw (new), Cherokee, Delaware, and Shawnee. 32 4 4 Payement Marking and Signing Plan. Details. 2 8 8 Construction Phasing Plan. 4 16 1 Traffic Control Details. 10 8 4 <td></td> <td></td> <td></td> <td>_</td> <td></td> <td></td> <td></td> <td>8</td> <td></td> <td>-</td> <td>1.</td>				_				8		-	1.	
to 0/1 mecessary: 0/1 mecessary: 0/1 mecessary: Drevewy: Alley Plan & Porifies: A profile for each driveway and alley will be provided from the saw cut to the tie-in point of the driveway / alley. 2 4 Badway Details. 2 4 4 Storm Sever Profiles: Details. 4 4 2 8 Storet Scorps, Concept study by POC. BNC: Will coordinate with RDG. <i>Gee</i> 2 8 8 additional detail in attached scope summary! 1 1 4 2 1 Street Lighting and Photometric Plan. Replace existing street light poles/mast ans with pedatal light poles similar to those sets immare to to be and of the scope. 32 4 24 Treffic Signal Design at Choctaw (new), Cherroken, Delaware, adjisments to intro the scope. 2 8 8 Construction Phasing Plan. Details. 2 4 16 16 Treffic Signal Design and Calculations. A 10-year storm event and 25-year storm event on distarped sets and poles. ADPW of the driveway and allow disellelines. 2 4 12 32 Construction Phasing Plan. Details. 2 4 12 32 4 12 32 Storm Street Storp details the policy of reviewand comment. In addition, submit field check plans to the											70	
provided from the saw cut to the tie-in point of the driveway / alley. 2 4 4 Storm Sever Profiles & Details. 4 4 2 4 Storm Sever Profiles & Details. 4 4 2 4 Street Lighting and Photometric Plan. Replace existing street light pole/mast arms with modestal light poles similar to those on Delaware. And Shavmee. 2 8 8 Traffic Signal Design at Choctaw (new). Cherokee, Delaware. And Shawnee. 32 4 1 1 4 2 Profiles Control Centers, conduit, or distribution cable are not assumed to be part of the scope. 7 7 8 8 8 Construction Phasing Plan. 4 1 1 10 8 4 16 Construction Phasing Plan. 4 16 1 10 8 4 10 10 8 4 12 32 4 12 32 1 10 8 4 12 32 4 12 32 1 10 8 4 12 32 1 10 8 4 12 32 4 12 32 4 12		to 4) if necessary.									7:	
Roadway Details. 2 4 4 Storm Sever Profiles & Details. 4 42 12 4 Streetscaping. Concept study by ROG. BHC will coordinate with RDG, fee additional detail natateched scape summay) 1 1 4 2 Erosion Control Plan & Details. 1 1 4 2 8 Street Lighting and Photometic Plan. Replace existing street light poles/mast street light poles similar to those on Delaware. Adjustments to junction boxes, control centers, conduit, or distribution cable are not assumed to be part of the scope. 32 4 2 8 Traffic Signal Design at Choctaw (new). Cherokee, Delaware, and Shawnee. 32 4 16 16 Pavement Marking and Signing Plan & Details. 2 8 4 16 Tomffic Control Desails. 2 4 16 16 Tomffic Signal Relay and Cabulations. A 10 year storm event and 25 year storm event only at sump locations will be analyzed using KC Metro APWA guidelines. 1 10 8 4 Construction Phasing Plan & Details. 2 4 12 32 4 12 32 Construction Phasing Plan & Details. 2 4 16 4 16 16				2				8			1	
Storm Sever Profiles & Details. 4 42 12 4 Street sciping. Concept study by RDG. EVC will coordinate with RDG. <i>face</i> 8 8 additional detail in attached scope summary) 1 1 4 2 Ension Control Plan & Details. 1 1 4 2 Street Lighting and Photometric Plan. Replace existing street light poles/mast arms with peetsail light poles ismits to those on Delaware. And Shawmee. 8 8 Payment Marking and Signing Plan & Ottakare. And Shawmee. 2 8 8 Paymenent Marking and Signing Plan & Ottakare. 2 8 4 Traffic Signal Design at Choctaw (new), Cherokee, Delaware, and Shawmee. 2 8 4 Paymenent Marking and Signing Plan & Ottakare. 2 8 4 Traffic Control Details. 2 8 4 Traffic Control Details. 2 8 4 Orosswald Read Map and Calculations. A 10-year storm event and 25-year storm event only at sum locations will provided every 25 feet. Cross sections at intersections. Will provided every 25 feet. Cross sections at intersections will provided. 4 12 32 Construction Wall provided every 25 feet. Cross sections at intersection will provided. 4 12 2 Paymenent Marking and Signing Plan A 1 6 4 Construct	-			2				4			6	
Streetscaping. Concept study by ROG. BHC will coordinate with RDG, free 2 8 additional deall in attached scape summary 1 1 4 2 Erosion Control Plan & Details. 1 1 4 2 Street Lighting and Photometic Plan. Replace existing street light poles/mast intention boxes, control centers, conduit, or distribution cable are not assume to be part of the scope. 32 4 2 8 Traffic Signal Design at Choctaw (new). Cherokes, Delaware, and Shawnes. Replace existing padesal traffic signal poles with similar pedestal poles. ADA crosswalk requirements will be met. 2 8 4 Pavement Marking and Signing Plan & Details. 2 8 4 Construction Phasing Plan. & Details. 2 8 4 Traffic Control Details 2 8 4 Construction Phasing Plan. & Details. 2 4 6 Construction Phasing Plan. & Details. 2 4 6 Construction Phasing Plan. & Details. 2 4 10 Construction Phasing Plan. & Details. 2 4 6 Construction Phasing Plan. 4 12 32 Construction Phasing Plan. 6 1 6 Construction Phasing Plan. 16 4 2 Diamage Area Map and Calculations. An Il	-		-		42	12					62	
Erosion Control Plan & Details. 1 1 1 4 2 Street Uplying and Photometrix Plan. Replace existing street light poles/ments to junction boxes, control centers, conduit, or distribution cable are not assumed to be part of the scope. 8 8 Traffic Signal Design at Choctaw (new), Cherokee, Delaware, and Shawnee. 32 4 2 Replace existing pedetal traffic signal poles with similar pedestal poles. ADA crosswalk requirements will be met. 2 8 8 Pavement Marking and Signing Plan. Details. 2 8 4 16 Construction Phasing Plan. 4 10 8 4 Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event only at sum locations will be analyzed using KC Metro APWA guidelines. 1 10 8 4 Cross Sections. Cross sections will provided every 25 feet. Cross sections at intersections Will Provide and net (1 full-size set (27:S4) of field check plans to the City for review and comment. In addition, submit field check plans with he actual field conditions. 16 4 2 D. Meet with City and MDOT staff and perform a field check of the site to compare the plans with he actual field conditio							-				10	
Street Uphting and Photometric Plan. Replace existing street Uph topic/mast arms with pedistal light poles ismilar to those on Delaware, Adjustments to be part of the scope. 2 8 8 Traffic Cignal Design ar Choctaw (new), Cherokee, Delaware, and Shawnee. Replace existing pedistal traffic signal poles with similar pedestal poles. ADA cosswalk requirements will be met. 32 4 24 Pavement Marking and Signing Plan. Details. 2 8 6 Construction Phasing Plan. 4 16 Traffic Control Details. 2 4 Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event only at sump locations will be analyzed using KC Metro APWA guidelines. 1 10 8 Cross Sections. Cross sections will provided every 25 feet. Cross sections at intersections will not be provided. 1 10 8 4 B. Submit three (3) half-size sets (11%) 77) and one (1) full-size set (22%34) of field check plans to the City for review and comment. In addition, submit field check plans to KDOT in PDF format and as a Bluebeam session. 16 4 2 C. Prepare a cost estimate. 16 4 2 2 6 D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 4 4 2 2 D. Meet with Commisst												
arms with pedestal light poles similar to those on Delavare. Adjustments to junction boxes, control centers, conduit, or distribution cable are not assumed to be part of the scope. Traffe: Signal Design at Choctaw (new), Chorokee, Delaware, and Shawnee. 22 74 24 24 24 24 24 24 24 24 24 24 24 24 24				-	1					1000	8	
Replace existing pedestal traffic signal poles with similar pedestal poles. ADA Image: Construction Plasing Plan & Details. 2 8 Construction Plasing Plan. 4 16 16 Traffic Control Details. 2 4 16 Construction Plasing Plan. 1 10 8 4 Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event and 25-year storm event and the control Details. 2 4 Cross Sections. Cross sections will be analyzed using KC Metro APUWA guidelines. 1 10 8 4 Submit three (3) half-size set (17x17) and one (1) full-size set (22*047) of field check plans to the City for review and comment. In addition, submit field check plans to KDOT in PDF format and the City in PDF format and as a Bluebeam session. 16 4 1 D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 16 4 2 F. Reid Check Plans satus meeting with the City and KDOT within two days following the meeting. 2 4 2 G. Submit the Reid check plans as per City and KDOT within two days following the meeting. 4 4 2 F. Reid Check plans as as per enting with the City and KDOT within two days following the meeting. 4 2 2 <		arms with pedestal light poles similar to those on Delaware. Adjustments to junction boxes, control centers, conduit, or distribution cable are not assumed to be part of the scope.		2		8		8			11	
Pavement Marking and Signing Plan & Details. 2 8 Construction Phasing Plan. 4 16 Traffic Control Details. 2 4 Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event only at sump locations will be analyzed using KC Metro APWA guidelines. 1 10 8 4 Cross Sections. Cross sections will provided every 25 feet. Cross sections at intersections will not be provided. 1 12 32 B. Submit three (3) half-size sets (11"x17") and one (1) full-size set (22"x34") of field check plans to the City for releva and comment. In addition, submit field check plans to the City for releva and comment. In addition, submit field check plans to KDOT in PDF format and the City an KDOT. The consultant shall prepare and submit meeting minutes to the City for City and KDOT. The consultant shall prepare and submit meeting minutes to the City and KDOT. The consultant shall prepare and submit meeting minutes to the City and KDOT within two days following the meeting. 2 16 2 F. Revise Heild check plans as per City and KDOT plan review comments and field check comments. 4 4 2 G. Submit a field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT plan review and Touristing protential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Kamager. 4 2 2 2		Replace existing pedestal traffic signal poles with similar pedestal poles. ADA	32	4				24			61	
Traffic Control Details. 2 4 Drainage Area Map and Calculations. A 10-year storm event and 25-year storm 1 10 8 4 Drainage Area Map and Calculations. A 10-year storm event and 25-year storm 1 10 8 4 Cross Sections. Cross sections will be analyzed using KC Metro APWA guidelines. 1 10 8 4 Cross Sections. Cross sections will provided every 25 feet. Cross sections at intersections will not be provided. 1 10 8 4 B. Submit three (3) haf-isce sets (117x177) and one (1) full-size set (127:X41) of field check plans to the City for review and comment. In addition, submit field check in the City and KDOT in PDF format and as a Bluebeam session. 16 4 6 D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the Actual field conditions. 6 2 2 Field Check Plans satus meeting with the City and KDOT. The consultant shall prepare and submit meeting minutes to the City and KDOT within two days following the meeting. 6 2 2 G. Submit a field check plans as per City and KDOT plan review comments and field check hans as per City and KDOT plan review comments and field check hans as per City and KDOT staff and perform a field check plans as per City and KDOT staff and perform a field check plans as per City and KDOT consists of a Kansas Plant orelace of theld check plans as per City and KDOT staff a		Pavement Marking and Signing Plan & Details.		2				8	_		1	
Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event only at sump locations will be analyzed using KC Metro APWA guidelines. 1 10 8 4 Cross Sections. Cross sections will not be provided. Cross Sections. Cross sections will not be provided. 1 10 8 4 12 32 B. Submit three (3) half-size sets (11'X17) and one (1) full-size set (22'X41) of field check plans to the City for review and comment. In addition, submit field check plans to KDOT in PDF format and the City in PDF format and as a Bluebeam session. 16 4 4 D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 16 4 4 E. Field Check Plans status meeting with the City and KDOT within two days following the meeting. 6 2 2 F. Revise the field check plans set to each utility company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager. 4 2 8 H. Notice of Intern (NOID permit and documentation. The NOI consists of a Kansas Historical Society (KHS) and a Kansas Department of Wildlife, Parks and Tourism (KDWPT) Endangered Species documentation. 8 12 2 2 Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, an				4				16			2	
event only at sump locations will be analyzed using KC Metro APWA guidelines. Image: Construction of the provided every 25 feet. Cross sections at intersections will not be provided. 12 32 B. Submit three (3) haf-iszes est(117x17) and one (1) full-size set (22*341) of field check, plans to the City for review and comment. In addition, submit field check plans to the City for review and comment. In addition, submit field check plans to the City for review and comment. In addition, submit field check plans to the City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 16 4 4 D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 6 2 2 E. Field Check Plans status meeting mitutes to the City and KDOT within two days following the meeting. 6 2 2 F. Revise the field check plans as per City and KDOT plan review comments and field check comments. 4 5 4 16 G. Submit a field check plan as a per City and KDOT plan review comments and field check plans as per City and submital to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager. 8 12 2 H. Notice of Intert (NOI) permit and documentation. New With Commission (up to 2 meetings) regarding reducing road diet, historic features, proposed roadway? Hole Plans are to each utility companies of a Kansas Historica Society (W53) and a Kansas Depar											6	
intersections will not be provided. Image: Construction of the construction of t		event only at sump locations will be analyzed using KC Metro APWA guidelines.		20	10			4			2	
check plans to the City for review and comment. In addition, submit field check Image: Comment and the City in PDF format and as a Bluebeam session. C. Prepare a cost estimate. 16 4 D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 16 4 E. Field Check Plans status meeting mitutes to the City and KDOT within two days following the meeting. 6 2 F. Revise the field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT plan review comments and field check plans as per City and KDOT staff and documentation. The NOI consists of a Kansas meeting indication indicating a tentative project Hetting date which has been established by the Project Manager. 4 4 2 H. Notice of Intent (NOI) permit and documentation. The NOI consists of a Kansas Historical Society (KFS) and a Kansas Department of Wildlife, Parks and Tourism (KDWPT) Endangered Species documentation. 8 12 2 Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traffic model will be created to help illustrate the current tra		intersections will not be provided.				12					48	
D. Meet with City and KDOT staff and perform a field check of the site to compare the plans with the actual field conditions. 4 4 4 E. Field Check Plans status meeting with the City and KDOT. The consultant shall prepare and submit meeting. 6 2 F. Revise the field check plans astus meeting with the City and KDOT within two days following the meeting. 6 2 F. Revise the field check plans as per City and KDOT plan review comments and field check comments. 4 5 4 16 G. Submit a field check plans aste to each utility company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager. 4 4 2 H. Notice of Intent (NOI) permit and documentation. The NOI consists of a Kansas Historical Society (KHS) and a Kansas Department of Wildlife, Parks and Tourism (KDWPT) Endangered Species documentation. 8 12 2 Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and proposed conditions. 8 12 2 2 Meet with Downtown Group (up to 2 meetings) regarding reducing road diet, historic features, proposed roadway / sidewalk design,		check plans to the City for review and comment. In addition, submit field check plans to KDOT in PDF format and the City in PDF format and as a Bluebeam session.		1				6			7	
plans with the actual field conditions. Image: Construction of the consultant shall prepare and submit meeting minutes to the City and KDOT within two days following the meeting. 6 2 2 F. Revise the field check plans as per City and KDOT plan review comments and field check plan as per City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper City and KDOT plan review comments and field check plan saper city company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager. 4 5 4 16 H. Notice of Intent (NOI) permit and documentation. The NOI consists of a Kansas (KDWPT) Endangered Species documentation. 8 12 2 8 I. Public Engagement. Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and proposed conditions. 8 12 2 2 2 2 Meet with Downtown Group (u								4			20	
prepare and submit meeting indiving the meeting. indiving the meeting. F. Revise the field check plans as per City and KDOT plan review comments and field 4 5 4 16 G. Submit a field check plan set to each utility company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager. 4 4 2 H. Notice of Intent (NOI) permit and documentation. The NOI consists of a Kansas Historical Society (KHS) and a Kansas Department of Wildlife, Parks and Tourism (KOWPT) Endangered Species documentation. 8 12 8 I. Public Engagement. 2 8 2 2 2 Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and proposed conditions. 8 12 2 2 Meet with Downtown Group (up to 2 meetings) regarding reducing road diet, historic teatures, proposed roadway/ sidewalk design, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development and toward the end of Field Check plan development and toward the end of Field Check plan development and toward the end of Field Check plan development and toward the end of Field Check plan development and towar		plans with the actual field conditions.	4								8	
check comments.CCCCG. Submit a field check plan set to each utility company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager.442H. Notice of Intent (NOI) permit and documentation. The NOI consists of a Kansas Historical Society (KHS) and a Kansas Department of Wildlife, Parks and Tourism (KDWPT) Endangered Species documentation.2828I. Public Engagement.Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and proposed conditions.81222Meet with Downkown Group (up to 2 meetings) regarding reducing road diet, historic features, proposed roadway / sidewalk design, and construction timeline. These meetings vegarding reducing road diet, historic features, proposed roadway / sidewalk design, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traffic model will be created to help illustrate the current traf		prepare and submit meeting minutes to the City and KDOT within two days following the meeting.		6				2			8	
potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager. Image: Comparison of Compar		check comments.		25	5	4					2	
Historical Society (KHS) and a Kansas Department of Wildlife, Parks and Tourism (KDWPT) Endangered Species documentation. Image: Comparison of Compariso		potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager.		4			4	2			10	
Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTrafic model will be created to help illustrate the current traffic movements in the existing and proposed conditions. 8 12 2 2 Meet with Downtown Group (up to 2 meetings) regarding reducing road diet, historic features, proposed conductors. 8 12 2 2 Meet with Downtown Group (up to 2 meetings) regarding reducing road diet, historic features, proposed condway / sidewalk design, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and proposed conditions. 8 12 2 J. Conduct a utility coordination meeting. Prepare an agenda and contact utilities one day prior as a reminder. 6 2 6 1 K. Provide Quality Assurance and Quality Control which includes a Plan Set Review prior to Submittal. 2 4 1		Historical Society (KHS) and a Kansas Department of Wildlife, Parks and Tourism (KDWPT) Endangered Species documentation.		2		8					10	
Meet with Downtown Group (up to 2 meetings) regarding reducing road diet, historic features, proposed roadway / sidewalk design, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and proposed conditions. 12 2 2 J. Conduct a utility coordination meeting. Prepare an agenda and contact utilities one day prior as a reminder. 6 2 6 1 K. Provide Quality Assurance and Quality Control which includes a Plan Set Review prior to Submittal. 2 4 1	<u> </u>	Meet with Commission (up to 2 meetings) regarding reducing road diet, historic features, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic	8	12				2			2	
J. Conduct a utility coordination meeting. Prepare an agenda and contact utilities one day prior as a reminder. 6 2 6 1 1 K. Provide Quality Assurance and Quality Control which includes a Plan Set Review prior to Submittal. 2 4 1 1		Meet with Downtown Group (up to 2 meetings) regarding reducing road diet, historic features, proposed roadway / sidewalk design, and construction timeline. These meetings will be held in early Field Check plan development and toward the end of Field Check plan development. A SimTraffic model will be created to help illustrate the current traffic movements in the existing and	8	12				2			23	
prior to Submittal.		Conduct a utility coordination meeting. Prepare an agenda and contact utilities one day prior as a reminder.				2	6	1			15	
	К.	prior to Submittal.									6	

	4th Street (Choctaw Street to Seneca Street)			Labor (Hours) / Rate Public Works Surveying							
ask No.	Leavenworth, KS Prepared By: BHC (September 2021) Task	Prin. Prog. Man. Gorton / Sherfy	Project Manager David Smalling	Sr. Project Eng. Katie Bushong	Design Eng. Collin Schmidt	Utility Supervisor Lauren Marcucci	Sr. Eng. Tech. Craig Drummond	Survey Manager	Survey Tech.	Lab	
6.	Office Check Plans	an sala da ba	100000	and and the second	SALCCOME.	Lines Line	L	22140474.01		Hou	
_	Prepare the following office check plan sheets.	Section 1		12357	1.2.	10.0				-	
7.	Title Sheet.		1				1			2	
	General Notes and Legend.		1				2			3	
	Quantities per KDOT standards with itemized quantity tables.		12	3			8			2	
	General Layout and Survey Data Sheet.		1				4			5	
	Typical Sections.		2				4			6	
	Roadway Plan & Profiles.		6				24		_	30	
	Intersection Details. ADA Sidewalk Ramp design and ADA Building Entrances (up to 4) if necessary.		6				32			3	
	Driveway / Alley Plan & Profiles. A profile for each driveway and alley will be	-	1	-		-	4			5	
	provided from the saw cut to the tie-in point of the driveway / alley.				÷		1			1	
	Roadway Details.		1				2			3	
	Storm Sewer Profiles & Details.		1	21	8		2			3	
	Streetscaping. TBD after concept study.		1				4			5	
	Erosion Control Plan & Details.		1	1	2		1			5	
	Street Lighting and Photometric Plan. Replace existing street light poles/mast		1		4		4			9	
	arms with pedestal light poles similar to those on Delaware. Adjustments to junction boxes, control centers, conduit, or distribution cable are not assumed to be part of the scope.										
		10	-				1				
	Traffic Signal Design at Choctaw (new), Cherokee, Delaware, and Shawnee. Replace existing pedestal traffic signal poles with similar pedestal poles. ADA crosswalk requirements will be met.	16	2				12			3	
	Pavement Marking and Signing Plan & Details.		2	-		-	4		-	6	
1	Construction Phasing Plan.		4				8		-	1	
	Traffic Control Details.		1				2	1		3	
	Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event only at sump locations will be analyzed using KC Metro APWA guidelines.		1	5	4		2			1	
	Cross Sections. Cross sections will provided every 25 feet. Cross sections at intersections will not be provided.		2		8		16			2	
	Submit three (3) half-size sets (11"x17") and one (1) full-size set (22"x34') of office check plans to the City for review and comment. In addition, submit office check plans to KDOT in PDF format and the City in PDF format and as a Bluebeam session.		1				4			5	
C.	Prepare a cost estimate.		8				2			10	
D.	Office Check Plans status meeting with the City and KDOT. The consultant shall prepare and submit meeting minutes to the City and KDOT within two days		6				2			8	
	following the meeting. Revise the office check plans as per City and KDOT plan review comments and office check comments.		2	3	2		8			1	
3	Submit a office check plan set to each utility company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager.		4			4	2			1	
	Conduct a utility coordination meeting. Prepare an agenda and contact utilities one		6		2	6	1			1	
H.	day prior as a reminder. Provide Quality Assurance and Quality Control which includes a Plan Set Review	2	4						_	6	
	prior to Submittal. Task 6 Subtotal	18	78	33	30	10	155			32	
7.	Final Plans		,3		33	10	135	NAME AND	Charles of	52	
Α.	Prepare the following final plan sheets.								T		
	Title Sheet.		1				1			2	
	General Notes and Legend.		1				1			2	
_	Quantities per KDOT standards with itemized quantity tables.		6	1			4			1	
	General Layout and Survey Data Sheet. Typical Sections.		1		_		2			3	
_	Roadway Plan & Profiles.		4				2			3	
	Intersection Details. ADA Sidewalk Ramp design and ADA Building Entrances (up to 4) if necessary.		4				16			2	
	Driveway / Alley Plan & Profiles. A profile for each driveway and alley will be provided from the saw cut to the tie-in point of the driveway / alley.		1				2			3	
_	Roadway Details.		1				1			2	
_	Storm Sewer Profiles & Details.		1	10	4	_	1	\rightarrow	_	16	
	Streetscaping. TBD after concept study. Erosion Control Plan & Details.		1	- 1	,		2			3	
	Street Lighting and Photometric Plan. Replace existing street light poles/mast arms with pedestal light poles similar to those on Delaware. Adjustments to junction boxes, control centers, conduit, or distribution cable are not assumed to		1	1	1 2		1 2			4	
-	be part of the scope. Traffic Signal Design at Choctaw (new), Cherokee, Delaware, and Shawnee. Replace existing pedestal traffic signal poles with similar pedestal poles. ADA	8	1				6			15	

	4th Street (Choctaw Street to Seneca Street)			Labor (Hours) / Rate Public Works Surveying								
	Leavenworth, KS		1	rubic	TUINS			Juiv	eying	-		
Task	Prepared By: BHC (September 2021)	Prin. Prog. Man. Gorton / Sherfy	Project Manager David Smalling	Sr. Project Eng. Katie Bushong	Design Eng. Collin Schmidt	Utility Supervisor Lauren Marcucci	Sr. Eng. Tech. Craig Drummond	Survey Manager	Survey Tech.	Lab		
No.	Task			UN X	100		IN O	1 00	0	Hou		
										1 1104		
	Pavement Marking and Signing Plan & Details.		2				2		1	4		
	Construction Phasing Plan.		4		<u> </u>		4			8		
	Traffic Control Details.		1				1			2		
	Drainage Area Map and Calculations. A 10-year storm event and 25-year storm event only at sump locations will be analyzed using KC Metro APWA guidelines.		1	3	2		1			7		
	Cross Sections. Cross sections will provided every 25 feet. Cross sections at intersections will not be provided.		1		4		8			13		
	Submit three (3) half-size sets (11"x17") and one (1) full-size set (22"x34") of final plans to the City for review and comment. In addition, submit final plans to KDOT in PDF format and the City in PDF format and as a Bluebeam session.		1				6			7		
	Prepare a final cost estimate.		12				2			14		
D.	Final Plans status meeting with the City and KDOT. The consultant shall prepare and submit meeting minutes to the City within two days following the meeting.		6				2			8		
E.	Revise plans as per City and KDOT plan review comments.		4	3	2		12			21		
F.	Once all comments have been addressed and the plans have been finalized, submit three (3) half-size sets (11"x17") and one (1) full-size set (22"x34") of final plans to the City. In addition, submit final plans to KDOT and the City in PDF format.		2	1	1		4			8		
G.	Submit a final plan set to each utility company along with a list identifying potential conflicts. Also included in the submittal to the utility companies will be a notification indicating a tentative project letting date which has been established by the Project Manager.		4			4	2			10		
1.50	Conduct a utility coordination meeting. Prepare an agenda and contact utilities one day prior as a reminder.		6			6	1			13		
4.	Provide Quality Assurance and Quality Control which includes a Plan Set Review prior to Submittal.	2	4							6		
	Task 7 Subtotal	10	73	19	16	10	102			230		
	Bidding Services and Construction Administration Bidding Services. Attend the pre-bid conference, answer contractor questions during advertisement, prepare written addenda to the bidding documents, attend the bid opening, and evaluate the bids.		6			SCO PERSON				6		
B.	Provide technical assistance during construction. Technical assistance includes but is not limited to answering questions during the bidding process and/or during construction, reviewing shop drawings and catalog cuts, attending a preconstruction meeting.		12							12		
C.	Public Engagement. Meet with Downtown Group (1 meeting) to introduce contractor and schedule.	4	4							8		
D.	As-Built Plans. Prepare plans from inspector's red lines. Proposed storm sewer structures will be surveyed and as-built conditions will be incorporated into the plan set.		2				8	2	16	28		
	Task 8 Subtotal	4	24				8	2	16	54		
	Project Total	112	452	140	140	50	600	30	270	1,794		

Additional Services

The services provided for this project are limited to those listed in the Scope of Services. Any additional services will be performed at an hourly rate or a lump sum basis as agreed to prior to initiating the additional service. Additional services may include but are not limited to the following:

1. Retaining Wall or Structural Design.

- 2. Streetscaping by RDG beyond Field Check Plans (i.e. Office Check and Final Plans).
- 3. Obtain ownership certification information from the title company to determine right-of-way lines, property lines, easement limits and ownership information.
- 4. Prepare individual tract maps and legal descriptions of each taking for each tract on separate sheets.
- 5. Provide field stakes at each property to delineate the temporary and permanent easements and the right-of-way.
- 6. Platting or Rezoning.
- Right-of-Way Plans.
 Specifications or Special Provisions.
 Site Renderings.

- Meetings with City staff other than specifically indicated in the Scope of Services. Provide a two-person survey team to survey new utility locations (horizontal and vertical).
 Additional Permitting (i.e. KDOT, USACE 404, FEMA, NPDES).
- 13. Storm Detention Design.
- 14. Best Management Practices (BMP) Design.
- Stream Realignment Design.
 Prepare a Stormwater Pollution Prevention Plan (SWPPP).
- 17. Utility Design.
- 18. Waterline Design.
- 19. Environmental Studies / Reports / Mitigation.
- 20. Construction Staking.
- 21. Inspection Construction Observation & Documentation.
- 22. Testing Services.