

Contents

	<u>Page</u>
I. Executive Summary	I-1
A. Introduction	I-1
B. Purpose	I-1
C. Findings and Results	I-2
D. Recommendations	I-4
E. Acknowledgments	I-11
II. Introduction	II-1
A. Purpose	II-1
B. Scope of Master Plan Work	II-2
III. Public Involvement	III-1
A. Purpose	III-1
B. Citizen's Stormwater Committee	III-1
C. Stormwater Questionnaire	III-2
D. Stormwater Hotline	III-8
E. Public Information Meetings	III-8
IV. Existing Stormwater System Data	IV-1
A. Data and Information Sources	IV-1
B. Stormwater Ordinances and Design Criteria Assessment	IV-1
V. Geographic Information System (GIS) Development	V-1
A. Mapping/Data	V-1
B. Preliminary GIS Recommendations	V-2
VI. Model Development	VI-1
A. Purpose	VI-1
B. Criteria and Evaluation	VI-1
1. XP-SWMM	VI-2
2. EPA Stormwater Management Model (SWMM)	VI-2
3. HEC-1 and HEC-2	VI-2
4. P8 Urban Catchment Model	VI-2
C. Project Description	VI-3
1. Three Mile Creek Watershed	VI-4
2. Five Mile Creek Watershed	VI-5
3. External Watersheds	VI-6

Contents (Continued)

	<u>Page</u>
D. Hydrology	VI-7
1. Introduction	VI-7
2. Hydrologic Data Requirements	VI-7
3. Rainfall	VI-11
4. Land Use	VI-13
5. Assumptions	VI-13
E. Hydraulics	VI-14
1. Introduction	VI-14
2. Data Requirements	VI-15
3. Assumptions	VI-19
F. Model Verification	VI-20
1. Peak Runoff	VI-21
2. Historic Flooding Problem Areas	VI-22
3. FEMA Discharge	VI-23
4. Conclusions	VI-24
VII. Policy Development	VII-1
A. Goals and Objectives	VII-1
B. General Policy	VII-1
C. Procedures Manuals	VII-4
VIII. Flooding Locations, Improvements, Preliminary Cost Estimates	VIII-1
A. Scope	VIII-1
B. Assumptions	VIII-1
C. Problem Identification	VIII-3
1. Three Mile Creek Watershed	VIII-3
2. Five Mile Creek Watershed	VIII-4
3. External Watersheds and Problems Not Predicted By Model	VIII-4
D. General Corrective Measures	VIII-5
1. Introduction	VIII-6
2. Storm Drainage System Improvements	VIII-7
3. Flood Plain Improvements	VIII-13
E. Stormwater Facilities Improvements	VIII-18
1. Three Mile Creek Watershed	VIII-19
2. Five Mile Creek Watershed	VIII-22
3. External Watersheds and Other Recommended Improvements Not Evaluated by Modeling	VIII-25
F. Detention/Retention Basin Alternatives	VIII-26
G. Preliminary Opinions of Costs	VIII-29

Contents (Continued)

	<u>Page</u>
IX. Priority System Development	IX-1
A. Purpose	IX-1
B. System Description	IX-1
C. System Implementation	IX-5
X. Capital Improvements Program	X-1
A. Summary of Improvement Needs	X-1
B. City and Private Funding of Projects	X-1
XI. Stormwater Financing Alternatives	XI-1
A. Objectives, Financing Policies, and Information Resources	XI-1
B. Stormwater Management Funding Sources	XI-1
C. User Fee Options	XI-13
D. Billing System and Database Options	XI-20
E. Organization/Administration	XI-23
F. Financing Plan	XI-24
G. Public Information/Education Program Needs	XI-31
H. Basic Authority and Responsibility	XI-35
XII. Future Considerations	XII-1
A. GIS Development/Mapping	XII-1
B. Management Plan Updates	XII-1
C. Maintenance	XII-1
D. Regional Detention Facilities	XII-2
E. Water Quality Issues	XII-2
1. Source Controls	XII-3
2. Structural Controls	XII-5
F. Federal Programs	XII-10
1. Evaluation of Future NPDES Requirements	XII-10
2. Evaluation of Existing Flood Plain Delineations and Natural Drainageways	XII-14

Appendices

Appendix A	Storm Drainage Design Manual
Appendix B	Subdivision Planning Manual
Appendix C	Summary of Data Collected
Appendix D	Unit Costs and Cost Opinions
Appendix E	Field Log
Appendix F	Photograph Log

Contents (Continued)

Appendices (Continued)

Appendix G	KDOT Rainfall Intensity Table for Leavenworth County
Appendix H	Calculation Spreadsheets
Appendix I	Project File Diskettes
Appendix J	Three Mile Creek Figures
Appendix K	Five Mile Creek Figures
Appendix L	Technical Criteria and Model Results

Tables

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
I-1	Stormwater Capital Improvements Projects (CIPs) Summary of Projects, Prioritization Index Number (PIN), and Cost Estimates	I-5
I-2	Recommended Design Storm	I-12
III-1	Stormwater Questionnaire Results Response to Question 7	III-4
III-2	Stormwater Questionnaire Results Major Problems Group	III-5
III-3	Stormwater Questionnaire Results Minor Problems Group	III-6
III-4	Stormwater Questionnaire Results No Problems Group	III-7
IV-1	Summary of Data Collected	IV-2
VI-1	Imperviousness by Land Use	VI-9
VI-2	Hydrologic Parameters	VI-10
VI-3	Total Rainfall Depths	VI-12
VI-4	Three Mile Creek Watershed Storm Sewer Subsystem Descriptions	VI-16
VI-5	Five Mile Creek Watershed Storm Sewer Subsystem Descriptions	VI-17
VI-6	Basin Outlet Peak Discharge Comparison	VI-23
VII-1	Recommended Design Storm	VII-2
VIII-1	Three Mile Creek Watershed Modeled Conveyance System Summary	VIII-29
VIII-2	Three Mile Creek Modeled Problem Identification	VIII-31
VIII-3	Five Mile Creek Watershed Modeled Conveyance System Summary	VIII-42

Contents (Continued)

Tables (Continued)

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
VIII-4	Five Mile Creek Modeled Problem Identification	VIII-43
VIII-5	External Watersheds - Subsystems Not Within 3MC or 5MC Basin Boundaries	VIII-57
VIII-6	External Watersheds Problem Identification	VIII-58
VIII-7	Reported Drainage Problems	VIII-61
VIII-8	Three Mile Creek Watershed Main Channel and South Branch Improvements	VIII-73
VIII-9	Three Mile Creek Watershed Subsystem Improvements	VIII-75
VIII-10	Five Mile Creek Watershed Main Channel Improvements	VIII-98
VIII-11	Five Mile Creek Watershed Subsystem Improvements	VIII-99
VIII-12	External Watersheds - Subsystem Improvements	VIII-121
VIII-13	Reported Drainage Problem Recommendations	VIII-124
VIII-14	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 1	VIII-136
VIII-15	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 2	VIII-137
VIII-16	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 3	VIII-138
VIII-17	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 4	VIII-139
VIII-18	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 5	VIII-140
VIII-19	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 6	VIII-141
VIII-20	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 7	VIII-142
VIII-21	Detention Basin Site Evaluation Three Mile Creek Watershed - Pond 8	VIII-143
VIII-22	Detention Basin Site Evaluation Five Mile Creek Watershed - Pond 1	VIII-145
VIII-23	Detention Basin Site Evaluation Five Mile Creek Watershed - Pond 2	VIII-146
VIII-24	Detention Basin Site Evaluation Five Mile Creek Watershed - Pond 3	VIII-147
VIII-25	Existing Lake Locations	VIII-148

Contents (Continued)

Tables (Continued)

<u>Table No.</u>	<u>Title</u>	<u>Page</u>
IX-1	Prioritization Criteria Ranges	IX-2
IX-2	Adjustment of Project Costs	IX-5
IX-3	Stormwater Capital Improvements Projects Summary of Project Priority by Prioritization Index Number	IX-6
X-1	Capital Improvements Projects Funding Distribution Summary	X-3
XI-1	Historical and Projected Stormwater Revenue Requirements	XI-26
XI-2	Estimated Stormwater Customers, User Fees and Revenue	XI-28
XI-3	Projected Stormwater Revenue Sufficiency (Deficiency)	XI-29
XI-4	Revenue Available for Master Plan Projects at Various User Charge Levels	XI-30
XI-5	Projected Cash Flow Assuming Debt Financing	XI-32
XII-1	Evaluation of FEMA Floodplain Mapping Comparison of FEMA and Stormwater Master Plan Results at Bridges and Culverts on Three Mile Creek and Five Mile Creek	XII-15

Figures

<u>Figure No.</u>	<u>Title</u>	<u>Following Page</u>
II-1	Watershed Map	II-2
III-1	City of Leavenworth, Kansas - Stormwater Master Plan Stormwater Management Questionnaire	III-3
III-2	Frequency of Occurrence of Flooding/Drainage Problems	III-7
III-3	Opinions on Costs Related to Drainage Improvements	III-7
III-4	Opinions on City Ownership/Maintenance of Stormwater Conveyance Facilities	III-7
III-5	Opinions on Aesthetics and Effect on Property Values of Drainage Improvements	III-7
III-6	Opinions on Flood Control	III-7
III-7	Rank of Drainage Improvements in Order of Importance	III-7

Contents (Continued)

Figures (Continued)

<u>Figure No.</u>	<u>Title</u>	<u>Following Page</u>
VI-1	Existing Land Use	VI-8
VI-2	Future Land Use	VI-8
VI-3	Comparison of 5-Year Rainfall Intensity Values	VI-11
VI-4	Comparison of 10-Year Rainfall Intensity Values	VI-11
VI-5	Design Storm Method Comparison 10 Year Return Period, 24 Hour Duration	VI-11
VI-6	Design Storm Method Comparison 100 Year Return Period, 24 Hour Duration	VI-11
VI-7	Design Storm Method Comparison 500 Year Return Period, 24 Hour Duration	VI-11
VI-8	Composite Method Design Storms	VI-i2
VI-9	Discharge - Frequency Curve	VI-20
VI-10	Stage - Discharge Curve	VI-20
VI-11	Three Mile Creek Watershed Stormwater Questionnaire and Modeling Results	VI-22
VI-12	Five Mile Creek Watershed Stormwater Questionnaire and Modeling Results	VI-22
VIII-1	General Corrective Measures	VIII-6
VIII-2A, 2B	Recommended Improvements Three Mile Creek Main Channel	Appendix J
VIII-2C	Recommended Improvements Three Mile Creek South Branch	Appendix J
VIII-3	Recommended Improvements Three Mile Creek Subsystem 1L	Appendix J
VIII-4	Recommended Improvements Three Mile Creek Subsystem 2L	Appendix J
VIII-5	Recommended Improvements Three Mile Creek Subsystem 3L	Appendix J
VIII-6	Recommended Improvements Three Mile Creek Subsystem 4L	Appendix J
VIII-7	Recommended Improvements Three Mile Creek Subsystem 1R	Appendix J
VIII-8	Recommended Improvements Three Mile Creek Subsystem 5L	Appendix J
VIII-9A, 9B	Recommended Improvements Three Mile Creek Subsystem 2R	Appendix J
VIII-10	Recommended Improvements Three Mile Creek Subsystem 3R	Appendix J
VIII-11	Recommended Improvements Three Mile Creek Subsystem 6L	Appendix J
VIII-12	Recommended Improvements Three Mile Creek Subsystem 4R	Appendix J
VIII-13	Recommended Improvements Three Mile Creek Subsystem 7L	Appendix J
VIII-14	Recommended Improvements Three Mile Creek Subsystem 5R	Appendix J
VIII-15	Recommended Improvements Three Mile Creek Subsystem 6R	Appendix J
VIII-16	Recommended Improvements Three Mile Creek Subsystem 8L	Appendix J
VIII-17	Recommended Improvements Three Mile Creek Subsystem 9L	Appendix J
VIII-18	Recommended Improvements Three Mile Creek Subsystem 10L	Appendix J
VIII-19	Recommended Improvements Three Mile Creek Subsystem 7R	Appendix J

Contents (Continued)

Figures (Continued)

<u>Figure No.</u>	<u>Title</u>	<u>Following Page</u>
VIII-20	Recommended Improvements Three Mile Creek Subsystem 8R	Appendix J
VIII-21	Recommended Improvements Three Mile Creek Subsystem S1R	Appendix J
VIII-22	Recommended Improvements Three Mile Creek Subsystem S1L	Appendix J
VIII-23	Recommended Improvements Three Mile Creek Subsystem S2R	Appendix J
VIII-24	Recommended Improvements Three Mile Creek Subsystem S3R	Appendix J
VIII-25	Recommended Improvements Three Mile Creek Subsystem S2L	Appendix J
VIII-26	Recommended Improvements Three Mile Creek Subsystem S3L	Appendix J
VIII-27	Recommended Improvements Three Mile Creek Subsystem S4R	Appendix J
VIII-28	Recommended Improvements Three Mile Creek Subsystem S5R	Appendix J
VIII-29	Recommended Improvements Three Mile Creek Subsystem S6R	Appendix J
VIII-30	Recommended Improvements Three Mile Creek Subsystem S4L	Appendix J
VIII-31	Recommended Improvements Three Mile Creek Subsystem S7R	Appendix J
VIII-32	Recommended Improvements Three Mile Creek Subsystem S8R	Appendix J
VIII-33A	Recommended Improvements Five Mile Creek Main Channel	Appendix K
VIII-33B	Recommended Improvements Five Mile Creek Main Channel	Appendix K
VIII-33C	Recommended Improvements Five Mile Creek Main Channel	Appendix K
VIII-34	Recommended Improvements Five Mile Creek Subsystem 1L	Appendix K
VIII-35	Recommended Improvements Five Mile Creek Subsystem 1R	Appendix K
VIII-36	Recommended Improvements Five Mile Creek Subsystem 2R	Appendix K
VIII-37	Recommended Improvements Five Mile Creek Subsystem 3R	Appendix K
VIII-38	Recommended Improvements Five Mile Creek Subsystem 2L	Appendix K
VIII-39	Recommended Improvements Five Mile Creek Subsystem 4R	Appendix K
VIII-40	Recommended Improvements Five Mile Creek Subsystem 3L	Appendix K
VIII-41	Recommended Improvements Five Mile Creek Subsystem 5R	Appendix K
VIII-42	Recommended Improvements Five Mile Creek Subsystem 6R	Appendix K
VIII-43	Recommended Improvements Five Mile Creek Subsystem 4L	Appendix K
VIII-44	Recommended Improvements Five Mile Creek Subsystem 5L	Appendix K
VIII-45	Recommended Improvements Five Mile Creek Subsystem 7R	Appendix K
VIII-46	Recommended Improvements Five Mile Creek Subsystem 8R	Appendix K
VIII-47	Recommended Improvements Five Mile Creek Subsystem 6L	Appendix K
VIII-48	Recommended Improvements Five Mile Creek Subsystem 9R	Appendix K
VIII-49	Recommended Improvements Five Mile Creek Subsystem 7L	Appendix K
VIII-50	Recommended Improvements Five Mile Creek Subsystem 8L	Appendix K
VIII-51	Recommended Improvements Five Mile Creek Subsystem 10R	Appendix K
VIII-52	Recommended Improvements Five Mile Creek Subsystem 11R	Appendix K
VIII-53	Recommended Improvements Five Mile Creek Subsystem 9L	Appendix K
VIII-54	Recommended Improvements Five Mile Creek Subsystem 10L	Appendix K
VIII-55	Recommended Improvements Five Mile Creek Subsystem 11L	Appendix K

Contents (Continued)

Figures (Continued)

<u>Figure No.</u>	<u>Title</u>	<u>Following Page</u>
VIII-56	Recommended Improvements External Watershed Subsystem EMC1, EMC2, EMC3, EMC4	VIII-25
VIII-57	Recommended Improvements External Watershed Subsystem EMC5, EMC6	VIII-25
VIII-58	Recommended Improvements External Watershed Subsystem EMC7, EMC8	VIII-25
VIII-59	Recommended Improvements External Watershed Subsystem EMC9, EMC10, EMC11, EMC12, EMC13, EMC14 . .	VIII-25
VIII-60	Detention Basins	VIII-27